Used machines offer

CityJet 3000 - with hot water system

Offer number: UM3437070





Brand: Schmidt Mat.-Nr.: 1266898-1 Year of manufacture: 11/2014

Serialnumber: WSVJ2N2B1E3721110

Running hours: 820 h Condition: Class 4 Location: Germany

30855 Langenhagen

Price: On request

The machine will be in serviceable condition and have a German registration for public roads. It shows, due to its age, light corrosion and normal tear and wear.

Let's see how this machine works on our YouTube channel:

https://www.youtube.com/watch?v=to3ua4H1LVA

https://www.youtube.com/watch?v=oO13SwPigaA

Gallery































Equipment

| Basic Data | |
|--------------------|---|
| 997744 | Carrier Vehicle SWINGO+ Cargy (for CityJet 3000) - 25 km/h version |
| 394467 | Swingo transit speed 25 km/h |
| Frame / Suspension | |
| 387530 | 4 wheel steering (4WS), selectable |
| 783360 | Add. Disc brake system for rear axle |
| Cabin | |
| 139638 | Driver seat with air suspension |
| 273071 | 3- point safety belt (mounted at rear cabin wall) |
| 809535 | 2- point safety belt for co- driver |
| 174590 | Head rest for driver seat |
| 735787 | Radio with CD and MP3-Player |
| 523125 | Rear view camera with monitor inside cabin |
| 966521 | Reverse warning signal can be switched off (night silent mode) |
| 843910 | Outsdie mirrors heated |
| Paint | |
| 557092 | Standard colour RAL 9016 weiß |
| Add. Options | |
| 213316 | Noise reduction package for cabin |
| SSR | 0001 Spray bar slewable, 115 - 135litre / min @ 50 or 70 bar pressure |
| Superstructure | |

| Alu tank, volume 1`800 litre water inkl. Pump 74 litre / min. @ 280 bar and pressure reduction |
|--|
| to 250 bar for additional attachments |
| Heating system fro spray water via 2ea boiler 12 V / 500 bar 20 litre / min. with max. |
| It can be moved to LH and RH side via joystick, working width 1`400 mm. |
| Front dome with 2ea rotating spray arms / 4ea HP spray nozzles, 230 bar pressure. |
| Suction function via 3ea suction tubes, mounted at was dome. |
| Suction performance 1`300 m³/h, grey water tank mounted behind the cabin. |
| Beam for water hose support mounted above the water tank, |
| incl. automatic hose reel (12 meter hose) |
| HP hand gun with position water jet and rotating function for cleaning of deep contamination |
| Wash dome for manual cleaning in narrow areas incl. rotating spray arm and |
| Dome made out of stainless steel and stored at the rear of the machine. |
| Anti chalk system for fresh water filling port |
| |



Artur Maciejewski Used Machines Sales Manager



© Aebi Schmidt Group www.aebi-schmidt.com

Aebi Schmidt Holding AG CH-8050 Zurich, Switzerland

All rights reserved. Technical data is subject to change. Illustrations are not binding. Errors and amendments excepted.

Document created on 22 MAR 2024







